

Este artículo trata sobre cómo subir emoticonos a tu wiki para hacerla mas personal.

El primer paso es:

- Crear un fichero con este texto:

```
<?php
```

```
# Emoticon MediaWiki Extension  
# Created by Alex Wollangk (alex@wollangk.com)
```

```
if ( ! defined ( 'This file is a MediaWiki extension, it is not a valid entry' )  
die ( );  
  
global $wgHooks ;  
global $wgExtensionCredits ;  
  
$wgExtensionCredits [ 'parserhook' ] [  
'name' => 'Emoticons' ,  
'status' => 'stable' ,  
'type' => 'hook' ,  
'author' => 'Alex Wollangk (alex@wollangk.com)'  
'version' => '1.0' ,  
'update' => '2-20-2007' ,  
'url' => 'http://www.mediawiki.org/wiki/Extension:Emoticons'  
'description' => 'Enable forum-style emoticon (smiley) replacement with'  
) ;  
  
$wgHooks [ 'ParserAfterStrip' ] [  
  
// The callback function for replacing emoticons with image tags  
function fnEmoticons ( ) & $parser  
global $action ; // Access the global "action" variable  
// Only do the replacement if the action is not edit or history  
if ( $action != 'edit'
```

```
&& $action != 'history'  
&& $action != 'delete'  
&& $action != 'watch'  
&& strpos( $parser->mTitle ) >  
}  
{  
// Get the list of emoticons from the "MediaWiki:Emoticons" article.  
$title = Title::makeTitle( new Article( $emoticonListArticle->getContent() ) );  
  
// If the content successfully loaded, do the replacement  
if ( $emoticonListArticle->mContent ) {  
    $emoticonList = explode( "\n", $emoticonList );  
    foreach ( $emoticonList as $index => $currEmoticon ) {  
        if ( $currEmoticon[0] == "/" ) {  
            // start by trimming the search value  
            $currEmoticon = substr( $currEmoticon, 1 );  
            // if the string begins with /, lop it off  
            if ( $currEmoticon[0] == " " ) {  
                $currEmoticon = substr( $currEmoticon, 1 );  
            }  
            // trim the replacement value  
            $currEmoticon = substr( $currEmoticon, 1 );  
            // and finally perform the replacement  
            $text = str_replace( $currEmoticon, $currEmoticon[1], $text );  
        }  
    }  
}  
// Always a good practice to let the other hooks have their turn ... whenever it make sense.  
return true;  
}
```

- Guardarlo con el nombre emoticons.php
- Guardarlo en extensions

El segundo paso:

- Bajar el fichero localsettings.php
- Modificarlo con la frase:

```
require_once ( "extensions/emoticons.php" );
```

- Volver a subir el fichero localsetting.php

El tercer paso es:

- En tu wiki crear una pagina que se llame emoticonos
- Editarla copiando:

```
:D//[[Image:VeryHappy.gif]]  
:-D//[[Image:VeryHappy.gif]]  
:grin://[[Image:VeryHappy.gif]]  
:)//[[Image:Smile.gif]]  
:-)//[[Image:Smile.gif]]  
:smile://[[Image:Smile.gif]]  
:(//[[Image:Sad.gif]]  
:-(//[[Image:Sad.gif]]  
:sad://[[Image:Sad.gif]]  
:o//[[Image:Surprised.gif]]  
:-o//[[Image:Surprised.gif]]  
:eek://[[Image:Surprised.gif]]  
:shock://[[Image:Shocked.gif]]  
:?://[[Image:Confused.gif]]  
:-?//[[Image:Confused.gif]]  
:???://[[Image:Confused.gif]]  
8)//[[Image:Cool.gif]]  
8-)//[[Image:Cool.gif]]  
:cool://[[Image:Cool.gif]]  
:lol://[[Image:Laughing.gif]]  
:x//[[Image:Mad.gif]]  
:-x//[[Image:Mad.gif]]  
:mad://[[Image:Mad.gif]]  
:P//[[Image:Razz.gif]]  
:-P//[[Image:Razz.gif]]  
:razz://[[Image:Razz.gif]]  
:oops://[[Image:Embarassed.gif]]
```

:cry://[[Image:CryingorVerySad.gif]]  
:evil://[[Image:EvilorVeryMad.gif]]  
:twisted://[[Image:TwistedEvil.gif]]  
:roll://[[Image:RollingEyes.gif]]  
:wink://[[Image:Wink.gif]]  
;)//[[Image:Wink.gif]]  
;-)//[[Image:Wink.gif]]  
!://[[Image:Exclamation.gif]]  
?://[[Image:Question.gif]]  
:idea://[[Image:Idea.gif]]  
:arrow://[[Image:Arrow.gif]]  
:|//[[Image:Neutral.gif]]  
:-|//[[Image:Neutral.gif]]  
:neutral://[[Image:Neutral.gif]]  
:mrgreen://[[Image:Mr.Green.gif]]

- Guardar la pagina

Para ver mejor este ejemplo ir a:

<http://wikimusica.enlaonda.es/wiki>